Minimatic

The smallest with automatic feeder





Features

Our juicers are totally automatic: There is no need to cut the oranges in half. Just place the oranges in the feeder basket and the machine will do everything for you at a high speed.

Our exclusive and unique rotating system is very attractive and visible, which attracts the attention of consumers, hence increases juice demand.

While squeezing, the juice is not in contact with the peel, avoiding the contact of the bitter taste with the juice.



L.con

Equipped with a 0.75 Hp motor and gears of steel, the Minimatic model is certainly within the range of small equipment, the strongest and most robust machine on the market.

The machine is totally maintenance free.

WWW.ZUMOW

Easy to dismantle, which takes only one minute, cleaning is really easy and will take less than 3 minutes.



* Included in machines with option self service.

Places with small to medium consumption with limited space

- × Coffee shops
- × Juice bars
- × Cocktail bars
- × Small hotels
- × Small restaurants

zumoval | Minimatic

-kies

amon

carrol.com

dis

wol.com

Capacity

15 Fruits per minute



Places with small to medium consumption with limited space: Coffee shops, Bar, Cocktail bars, Small hotels, Small restaurants, Juice bars, ...

Options



STAND

Mini stand.

ORANGE COUNTER

Counts the amount of oranges that have been juiced by the machine, allowing the customer to monitor consumption.

AUTOMATIC SHOWER

This option provides a flushing system that cleans quickly the juicing area, saving time and labour cost and keeping the juicer clean and hygienic at all times.

SELF SERVICE TAP

The easy-to-use automatic tap is connected directly to the motor of the machine. Open the tap and the machine starts running. Close the tap and the machine stops. Perfect solution for buffet services. Anti-dripping system.

COLOURS

Orange colour Silver colour Burdeos colour Cobalto colour












Specifications

o Motorforce group	Motor reducer 0,75 Hp
Voltage (monophasic)	 230V 50/60 Hz
	115v - 60 Hz
Consumption	
	9/8,6A
Electrical protection	Overloading and temperature
Security	Automatic inductive proximity sensor
S Fruit Diameter	
Capacity of peel bucket	9 Kg (19,8 lbs) Minimatic
	15 Kg (33 lbs) Minimatic + mini stand
Capacity of feeder	6 Kg (13,2 lbs)
 ՃՃ Weight	 54,4 Kg (119,9 lbs) Minimatic

86,6 Kg (190,9 lbs) Minimatic + mini stand





C/ Islas Canarias, 59 Pol. Ind. Fuente del Jarro 46988 Paterna Valencia - España Tel.: +34 961 344 141 Fax: +34 961 343 955 info@zumoval.com www.zumoval.com





with "us" suffix



Avaible on all models with "us" suffix

